



P.S.I. PRESSURE
IN INCHES
OF WATER



BARRELS PER HOUR	FLOW FT. ³ / MIN.	PRESSURE IN INCHES OF H ₂ O	
		LID CLOSED	LID OPEN
652	61	77.4	76.4
1304	122	77.5	76.9
1967	184	77.5	77.1
2620	245	77.2	77.1
3272	306	76.9	77.1
3924	367	77.1	77.5
4588	429	77.5	77.6
5240	490	78.2	77.5
5892	551	78.7	77.4
6555	613	77.4	76.8
7208	674	77.8	76.8
7860	735	77.5	77.0
8512	784	77.2	77.1
9165	833	78.0	77.1
9828	882	77.5	76.7
10480	931	77.9	76.9
11132	980	79.3	78.7
11784	1029	78.9	78.3
12437	1078	78.1	77.1
13092	1127	77.7	76.7

Curve for Pressure Side of SUPERAC 6" High Velocity PV Valve
2.8 PSI
data based on air flow



**ELECTROMECHANICAL
RESEARCH LABORATORIES, INC.**
P.O. 1026 NEW ALBANY, IN 47150

DATE **10/12/93**

DRAWN **D. URBAN**

PART NAME
2.8 Flow Curve, Pressure

TOLERANCES
.0= +/- .030
.00= +/- .015
.000= +/- .005

APPROVED

UNIT NAME
Marine 6" PV Valve

SCALE JOB NO.

DRAWING NO. **285E114B** ITEM NO.